




EVOLE











Technical features

Replaceable bars:

Anodised Aluminium double grooves

½ round profiles ø 44 mm

Replaceable panels:

PVC cover 650 g/m² Anti-UV and anti-fungal treated

Average cover weight:

1350 g/m²

Fasteners & hooks:

For safety: with straps and stainless steel ratchets on the widths (fast and simple) For bad weather: anti-lifting kit with cabiclic cords on the lengths or WINDSAFE SYSTEM (optional)

Unroll system

With unrolling strap

Roll-up system

Manual crank (two cranks on pool over 50 m²)

Motorisation (option)

RollPower

Pool safety cover designed to protect children under 5 years old.

Warning: This cover is not a substitute for common sense and individual responsability. It doesn't replace an adult supervision, which remains the most essential in the protection of young children.

About the product

Whether your pool is rectangular or special shaped, with or without stairs, WaluCover EVOLE will perfectly fit to your pool. Panels and aluminum bars are interchangeable and can be replaced individually on site if an issue occurs. Following security guidelines while maintaining a sleek look. Patent created by WalterPool.









For pools of all shapes Security for pets and children

www.walter-pool.com 20



PVC cover colours

Opaque (650g/m²)

Slows down algae developement. Available in 8 different colours The PVC reverse side colour is Sand (except for Light grey and Midnight blue) which avoids bleaching over the coping.




















Light grey Anthracite grey Pearl grey

• points of these products







Winding crank

Unwinding strap

Handling of the cover

Covers are delivered with their winding crank (two cranks for pools over 50 m²) and their unwinding strap.

crank winding : 1 person in less than 3 minutes (or 2 persons for pools over 50 m^2)

unwinding strap: Pulling, securing, fastening in less than 3 minutes



Available options & accessoires

Option	Perks if chosen
Eyelet kit + cabiclic	No drilling necessary on lengths
WINDSAFE SYSTEM*: anti-lifting and anti-leaves straps	No drilling necessary on lengths
Aluminium replacement profile for coping, cut to size with polyamide end pieces (required for stairs located on the length of the pool)	replaces the curbstone to allow the roll-up
Flap for stairs (rectangular shape)	Adaptation to the shape of the pool
Cut-out for ladder or filtering unit (only on the width of the cover)	optimal and safe cutting
Quick Fastening System* for safety cover for pools without ladder/stairs	Eases daily handling
Quick Fastening System* for safety cover for pools with ladder or stairs	Eases daily handling
Adjustable fastener	Allows to be fixed at requested distance
Accessories	Perks if chosen
Wind Pro 1 set (for pools <6m long)	windproof solution
Wind Pro 2 set (for pools >6m long)	requiring only 1 or 2 holes on each length
RollPower motorisation, sold seperatly from the cover (for pools up to 11 x 5 m) $$	Allows for an effortless winding
Guiding wheel for winding crank	Eases the winding and protects the flooring



ROLLPOWER

Optional

When rolling up your bar cover becomes so easy! Effortlessly and in less than 3 minutes (for a 9 \times 4.50 m pool). Robust and stable thanks to its large diameter wheels. At the end of winding, the "Reverse" function allows ROLLPOWER to be easily released.



Walter Pool develops, produces and sells a wide range of swimming pool covers, mainly in Europe.

The production plant is based in Brumath in Alsace (France). The company has been active since **1992** and since 2020 has been part of the **TSPH family** industrial group, leader in the swimming pool market in **Europe**.

Walter Pool provides mobile terraces as well as pool accessories.



Keep this document for future reference



