



STARLIGHT











Technical features

Replaceable bars:

Anodised Aluminium double-grooved and flat end pieces ½ round profiles ø 46 mm:

Replaceable panels:

PVC cover 650 g/m² Anti-UV and anti-fungal treated

Average cover weight:

1350 g/m²

Fasteners & hooks:

For safety: with straps and stainless steel ratchets on the widths (fast and simple)
For bad weather: anti-lifting kit with cabiclic cords on the lengths or WINDSAFE SYSTEM (optional)

Unroll system:

With unrolling strap

Roll-up system:

Manual crank (two cranks for pools over 50 m^2)

Motorisation (option):

RollPower

Pool safety cover designed to protect children under 5 years old.

Warning: This cover is not a substitute for common sense and individual responsability. It doesn't replace an adult supervision, which remains the most essential in the protection of young children.

About the product

Thanks to the reversed aluminium profiles and flat end pieces, WaluCover STARLIGHT is even easier to handle. Panels as well as bars can be replaced individually on site if an issue occurs. Following security guidelines while maintaining a sleek look. Patent created by WALTER.



Rectangular pools only



Pool dimensions



Cover overlap



Ladder and filter bloc compatible

(on pool width only)



Integrated stair flap



Seperate stair flap



Anodised Aluminium double grooves and flat end coping pieces



Adjustable straps with stainless-steel ratchets



PVC cover colours

Opaque (650g/m²)

Slows down algae developement. Available in 8 different

The PVC reverse side colour is Sand (except for Light grey and Midnight blue) which avoids bleaching over the coping.



Azure blue
















blue


Light Grey Anthracite grey

• points of these products





STARLIGHT





Winding crank

Unwinding strap

Available options

	Perks if chosen
RollPower motorisation, sold seperatly from the cover (for pools up to $11 \times 5 \text{m}$)	Allows for an effortless winding
WINDSAFE SYSTEM*: anti-lifting and anti-leaves straps	No drilling necessary on lengths
Aluminium replacement profile for coping, cut to size with polyamide end pieces (required for stairs located on the length of the pool)	
Flap for stairs (rectangular shape)	
Cut-out for ladder or filtering unit (only on the width of the cover)	
Quick Fastening System* for safety cover for pools without ladder/stairs	Eases daily handling
Quick Fastening System* for safety cover for pools with ladder or stairs	Eases daily handling
Adjustable fastener	Allows to be fixed at requested distance
PVC Protection sheath for anchor bolts, colour of your choice among: sand, light grey or anthracite grey	Protects coping, perfect integration and nicely manufactured
Guiding wheel for winding crank	Eases the winding and protects the flooring

Handling of the cover

Covers are delivered with their winding crank (two cranks for pools over 50 m²) and their unwinding strap.

crank winding : 1 person in less than 3 minutes (or 2 persons for pools over 50 m^2)

unwinding strap : Pulling, securing, fastening in less than 3 minutes





ROLLPOWER

Optional

When rolling up your bar cover becomes so easy! Effortlessly and in less than 3 minutes (for a 9 \times 4.50 m pool). Robust and stable thanks to its large diameter wheels. At the end of winding, the "Reverse" function allows ROLLPOWER to be easily released.



Walter Pool develops, produces and sells a wide range of swimming pool covers, mainly in Europe.

The production plant is based in Brumath in Alsace (France). The company has been active since **1992** and since 2020 has been part of the **TSPH family** industrial group, leader in the swimming pool market in **Europe**.

Walter Pool provides mobile terraces as well as pool accessories.



Keep this document for future reference



